

Form PTO-1449

MAR 22 2006

Sheet 1 of 1

Applicant: Michael E. Goodwin et al.

Confirmation No.: 4068

Serial No.: 10/797,159

Att'y Docket No.: 11398.64.1

Filing Date: March 10, 2004

Group: 1723

For: CONTAINER SYSTEMS FOR MIXING FLUIDS WITH A MAGNETIC STIR BAR

THIRD SUPPLEMENTAL INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

Examiner Initial*	Document Number	Issue Date	Name
CEC 1	4,209,259	06/24/1980	Rains et al.
CEC 2	5,061,079	10/29/1991	Shiobara
CEC 3	5,193,977	03/16/1993	Dame

Foreign Patent Documents

Examiner Initial*	Document Number	Publication Date	Country or Patent Office	Translation
----------------------	--------------------	---------------------	-----------------------------	-------------

Other Documents

(including author, title, pertinent pages, etc.)

Examiner

Initial*

CEC 4

Mechanical drawing of Bottom Drain Barrel sold by HyClone Laboratories, Inc., at least as early as January 2002.

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892. The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\11398.64\DPW0000017373V001.doc

Examiner:

/Charles E. Cooley/

Date Considered:

04/24/2006

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.